
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





TREE, SHRUB AND FRUIT SEEDS

(2,73

PRICE LIST Autumn 1928 - Spring 1929



Thomas J. Lane
SEEDSMAN
Dresher, Penna., U. S. A.

Conditions and Terms

All offers and acceptances of orders are subject to my receiving the full quantity for which I have placed orders with my growers and collectors. Failing to get these amounts, I reserve the right to reduce proportionately all orders that have been booked; or fill orders in rotation received while supply lasts.

The prices in this list are based on an average crop and normal cost of collecting and preparing the seed. If though unforseen contingencies the cost of any item is extraordinarily increased I reserve the privilege of proportionately advancing the price of such items of accepted orders, subject to the buyer's option to pay the increased price or cancel those parts of his order.

I give no warranty, express or implied, as to description, quality, productiveness, or any other matter of any seeds, bulbs or plants I send out, and will not be in any way responsible for the crop. If the purchaser does not accept the goods on these terms they are at once to be returned.

All Claims Must be Made Upon Receipt of Goods

AFTER GOODS ARE PLACED ON BOARD CARS HERE, I ASSUME NO RESPONSIBILITY FOR THEIR SAFE DELIVERY OR ANY INJURY CAUSED BY DELAY IN DELIVERY BY THE TRANSPORTATION COMPANY.

SACKS AND BOX AND PACKING CHARGED ADDITIONALLY.

Not less than one-half pound will be supplied at pound rates nor one-quarter bushel at bushel rates.

When seeds are to go by mail, postage is charged at Parcel Post rates in U. S. A. Consult your postmaster as to your zone and allow charges accordingly. Foreign countries 12c. per pound for postage. SATISFACTORY ARRANGEMENTS FOR PAYMENT MUST ACCOMPANY ORDERS FROM UNKNOWN CORRESPONDENTS.

All P. O. orders payable at Dresher, Pa., U. S. A.

Terms-Net Cash.

SPECIAL PRICES WILL BE QUOTED ON LARGE QUANTITIES.

Cable Address "LANE AMBLER" A. B. C. Code 4th and 5th Edition.

All orders will receive my best attention. Packing for shipment will receive special care and seeds will be packed in a manner that will permit their reaching destination in perfect order.

Thomas J. Lane SEEDSMAN Dresher, - - Penna.

October 1st, 1928

General Information and Suggestions For Planting

Seeds to germinate must have the proper conditions of heat and moisture. These conditions vary greatly with different seeds. Experience and close attention are necessary to successful propagation and the propagator must be a close observer of the wants and habits of trees and plants and be able to gather knowledge from what he may see. Owing to certain conditions of moisture, temperature and time which they do not always meet with after sowing, seeds sometimes fail to appear the first season. Examine them at close of Spring, and if found sound do not disturb them, and their germination may be looked for the season following.

Seeds of deciduous trees and shrubs are best sown in the Fall, pines and similar evergreens in Spring, but deciduous ones will grow very well sown in Spring if kept in good condition through the Winter. When sown in Spring seeds of a hard, bony nature, such as the yellow locust, are best soaked in hot water for a day or two and then sown at once. Seeds of maples, ash, magnolia, beech, all nut trees, as well as many other kinds require to be kept slightly moist over Winter if not sown in Fall; on the other hand, catalpa and some others may be kept quite dry until Spring comes.

Junipers, hollies and a few similar seeds remain a full year before sprouting. It is just as well, therefore, to keep them in a box of soil until the next Autumn, then sow them.

If the planting is done in the Fall it is better to mulch the ground with straw, leaves, or any like material; this will prevent baking of the soil after the Spring rains, and keep it in a nice mellow condition. The mulching should be removed in the Spring, or, at least so much that it will not interfere with the growth of the young seedlings.

The seed of evergreens is always found in cones, with the exception of the juniper and yew, which produce small berries; hence, the general name applied to evergreens of coniferae, or cone-bearing.

The soil most suitable for raising conifers is a light sandy loam, rich in vegetable matter, but entirely free from rank manures. soil should be deeply spaded and thoroughly pulverized. off in beds four feet wide, and any desirable length, with paths of The beds should be higher in the middle, the one foot between. sides being but little higher than the paths. The seed is usually sown broadcast and then carefully and lightly raked in; but some prefer sowing in drills a few inches apart, then rolling, or pressing with back of the space, and sifting over them a very light covering of oneeighth to one-quarter of an inch of soil. The ground should be prepared the Fall before, and the seed put in at the earliest possible moment in the Spring. Most failures in growing evergreen seedlings arise from not having the seed beds partially shaded. If hot sunshine falls on them while the seeds are swelling, and cold follows, a large proportion will rot before they appear above the ground. seedlings are raised extensively artificial arbors are made high enough to work under. When the growing is done on a less extensive scale, stakes are driven at convenient distances along the sides of the beds to which boards six inches wide are nailed, to support screens for shading the young seedlings. The lower edge of these boards should be but four or five inches above the surface of the ground, to allow the air to circulate freely over the beds. screens are very satisfactory.

The following suggestions may be of service to the nurseryman, but should be changed as conditions may require.

Andromeda Azalea	Kalmia	Rhododendron	Sow in peat moss or fine leaf mould in well protected seed bed.
Carpinus Edgeworthia	Prunus	Silver maple Quercus Ulmus	Sow as soon as possible after seeds are received.
Acer Aesculus Benzoin Calycanthus Caragana Carpinus Celtis Chionanthus	Cinnamommum (in warmer weather) Cornus Corylus Fraxinus Juglans Liriodendron	Ligustrum Pinus Strobus Prunus Roses Taxodium Tilia Rhus Syringa	Sow in Autumn or when seed arrives.
Actinidia Akebia Berberis Catalpa Cercidiphyllum Clematis	Desmodium Diospyrus Fagus Gleditschia Juniperus Kerria	Paeonia Pines Pyrus Sambucus Sophora Staphylea	Sow in early spring.
Abies Ampelopsis Aralia Aucuba Betula Biota Buxus Celastrus Cercis Chamaecyparis Clethra Cryptomeria Cydonia	Euonymus Ginkgo Hibiscus Ilex Larix Lindera Liquidambar Magnolia Morus Nandina Paulowina Photina Picea	Pinus Pueraria Rhodotyphus Robinia Sciadopitys Spirea Styrax Taxus Thujopsis Tsuga Viburnum Wisteria	Sow in spring after danger of frost is past and soil is warm.
Carya Crataegus Juniperus	Magnolia Rhodotyphus Taxus	Tilia Viburnum	Stratify before sowing; seeds germinate slowly.
Buxus Camellia Cercis Gleditschia	Ilex Photinia Pueraria Robinia	Rosa Sophora	Soak in hot water just before planting.
Ampelopsis Aucuba Berberis Cinnamomum Euonymus	Ginkgo Hedera Ligustrum Lindera Magnolia	Prunus Rosa Sapindus Viburnum	Wash off thick pulp before strati- fying or sowing.

Practical Plant Propagation by Hottes, is a very helpful book for planters. It contains much valuable information. Price \$2.15 Postpaid.

Evergreens

Evergreens			
		Qua	antities
		01	10 lbs. nd over
	Per oz	Per lb.	Per lb.
Abies amabilis, California Fir	.75	6.00	5.25
" balsamea, Balsam Fir	.50	4.00	3.50
" brachyphylla (homolepsis)	.40	2.50	2.25
" concolor, California Silver Fir	.40	3.00	2.50
	.35	$\frac{3.00}{2.25}$	2.00
" concolor, Colorado Silver Fir	.45	2.00	1.75
" firma, Japanese Fir			4.75
" Fraseri, Double Balsam	.50	5.00	
" grandis, Pacific Coast Fir	.50	4.50	4.00
magninica	.40	3.25	2.85
HODIIIS	.50	4.00	3.75
Nordmanniana, Nordman Fir	.50	3.00	2.65
" pectinata, European Silver Fir	.35	1.25	1.00
" Pinsapo, Spanish Fir	.35	3.00	2.50
" veitchii	.35	3.25	2.90
Araucaria excelsa	.50	4.50	
Berberis Aquifolium (Mahonia) Clean Seed	.50	3.50	3.25
" Japonica	.60	4.50	4.00
Buxus sempervirens, Box	.35	2.50	2.25
	.35	3.00	2.65
Cedrus Atlantica, Mt. Atlas Cedar			$\frac{2.05}{2.25}$
Deodora, Deodar Cedar	.40	2.75	
Libanni, Lepanon Cedar	.40	3.00	2.75
Chamaecyparis Lawsoniana	.50	2.75	2.50
" obtusa	.30	1.85	1.65
" pisifera	.30	1.85	1.65
Cinnamomum Camphor, Camphor tree	.25	1.75	1.50
Crataegus Pyracantha, Evergreen Thorn	.35	1.50	1.25
Cryptomeria Japonica, Japanese Cedar	.25	1.75	1.50
Cupressus Arizonica	.35	2.50	2.25
"Benthamiana	.75	5.00	
" Goveniana	.50	3.50	
	.00	0.00	
" Lawsoniana (same as	.50	2.75	2.50
Chamecyparis)	.50	$\frac{2.75}{2.75}$	2.55
Macrocarpa, Monterey Cypress			$\frac{2.35}{1.25}$
sempervirens norizontalis	.25	1.50	
sempervirens pyramidans	.35	2.00	1.50
Thomphe de Boskoop	1.00	10.00	
Eucalyptus globulus	1.00	8.00	
" Gunnii	1.25	10.00	
rostrata	1.00	8.00	
" viminalis	1.00	8.00	
Ilex Aquifolium, English Holly	.35	1.75	1.50
" Crenata Japanese Holly	.40	2.75	2.50
" Opaca American Holly	.25	.90	.75
" Sieboldi	.35	2.75	2.50
Juniperus Chinensis, Chinese Juniper	.25	1.25	1.00
" california California Juniper	.40	3.00	2.75
" communis, Common "	.25	1.00	.85
" excelsa	.35	$\frac{1.00}{2.50}$	2.25
" Monosperma	.35	$\frac{2.30}{2.25}$	2.00
" occidentalis, Western "		$\frac{2.25}{3.50}$	4.00
	.50		1.05
Pacnypmaea	.25	1.50	1.35
prostrata	.25	1.65	1.35
" Sabina Berries	.35	2.25	2.10

Evergreens-Continued

			antities 10 lbs.
		a	nd over
To refer our Community		Per lb.	
Juniperus Scopulorum	.35	1.75	1.50
Virginiana Red Cedar	.25	.75	.65
Northern type	.35	1.00	.75
Kalmia angustifolia, Laurel, C. S.	.75	7.50	
" Latifolia Sheep Laurel, C. S	.75	7.50	0.05
Larix Dahurica Korean Larch	.40	4.00	3.85
" Europaea European Larch, 50 lbs. at	9.5	0.00	1.75
\$1.50 per lb	.25	2.00	1.75
" Leptolepsis, Japanese Larch, 50 lbs. at	.40	3.85	3.50
\$3.25 per lb	.25	1.50	1.25
Laurus nobilis, Sweet Bay	.35	$\frac{1.50}{2.50}$	1.25
Libocedrus Decurrens, Incense Cedar	.25	$\frac{2.50}{1.50}$	1.35
Magnolia grandiflora, Evergreen Magnolia Photinia Arbutifolia, Christmasberry	.25	1.50	1.35
Picea Canadensis Alba, White Spruce	.50	4.50	4.00
" bicolor, (alcoquiana), Japanese Spruce	.60	5.10	4.85
" canadensis, Black Hill Spruce	.75	6.50	6.00
" Englemanni	.50	5.00	4.75
" excelsa, 100 lbs. at \$1.15 per lb.		1.50	1.30
" Koyamai		8.50	1.00
" nigra, Black Spruce	1.25	8.00	7.50
" orientalis, Oriental Spruce		12.50	1.00
" Polita	.50	5.00	4.75
" pungens glauca (Colorado seed)	.50	6.00	5.50
" pungens, Kosters Blue Spruce	1.50	12.50	0.00
" rubra, Red Spruce	1.00	8.00	
" Stichensis (Menziesii)	.75	5.50	5.00
Pinus aristata, Hickory Pine		4.00	3.75
" austriaca (same as Nigra) (50 lbs. at \$1.25)		1.75	1.35
"Banksiana, Jack Pine		3.75	3.35
" Canariensis, Canary Island Pine		2.50	2.10
" Caribaea (Cubensis) Slash Pine		5.00	4.75
" cembra		1.00	.90
" Contorta, Shore Pine	.75	6.50	6.25
" Coulteri, Big Cone Pine		5.00	4.75
" Densiflora, Japanese Red Pine		1.75	1.50
" Echinata (Mitis), Yellow Pine		7.50	7.25
" edulis, Pinyon Pine, also Nut Pine		1.25	1.00
" Excelsa, Himalayan Pine	.35	3.00	2.50
" Flexilis, Limber Pine	.35	3.50	3.00
" insignis, See Pinus Radiata (50 lbs. at			
\$2.60 per lb.)	.35	3.00	2.75
Jenreyl		3.00	2.75
Koraiensis		1.75	1.25
Lambertiana, Sugar Pine		2.00	1.75
Larieto, Corsican Pine		3.50	3.25
Monophyna, Single Leaf Pine		4.00	3.75
Montana		2.50	2.35
monticola. Pacific Coast White Pine	.60	5.50	5.00
mugnus, Seed from select plants		6.00	5.50
" mughus, Dwarf Mountain Pine	.35 $.60$	$\frac{3.00}{5.50}$	$\frac{2.75}{5.00}$
" Muricata, Prickle cone pine " Murryana, Lodgepole Pine			5.00 5.75
Murryana, Lodgepole Pine	.60	6.00	9.19

Evergreens-Continued

			antities f 10 lbs
			nd over
		Per lb.	
Pinus nigra, Austrian Pine (50 lbs. at \$1.25)		1.75	1.35
" palustris, (Australis), Long Leaf Pine		2.50	2.00
parvitona, Japan witte Pine		3.50	3.00
pentaphyna		3.50	3.00
Pinea, Italian Stone Pine		1.00	.85
ronderosa, Bull Pine		2.50	2.00
(scopulorum) (From Colorado)	.25	2.00	1.75
radiata (msignis) Montery Fine (50 lbs.	0.5	0 ==	0.70
at \$2.25 per lb.)		2.75	2.50
resmosa, Red Pine		17.50	15.00
" Rigida, Pitch Pine		6.25	6.00
Sabilitalia, Digger Pine	.25	1.50	1.35
scrobus, write Fine (100 lbs. at \$2.10 per	40	0.55	0.50
lb.) (noginals) Pige Seet	.40	2.75	2.50
Sylvestris var (reginsis) Riga Scot		4.00	3.50
Pine	0.5	0.00	4.55
" sylvestris, Scotch Pine (50 lbs. at \$1.50)	.35	2.00	1.75
"Taeda, (Oldfield) Loblolly Pine	.60	5.25	5.00
" thunbergii, Japanese		1.75	1.60
Pseudotsuga Douglassii, Douglas Spruce green.		6.50	6.00
" Douglassii, Douglas Spruce Colo		5.00	4.85
Retinispora obtusa, (Same as Chamaecyparis). "Pisifera " "		1.85	1.65
	35	1.85	1.65
Rhododendron catawbiense, Mountain Laurel,			
Rhododendron Maximum clean seed	4.0	0.50	0.05
Sciadopitys verticillata, Umbrella Pine		3.50	3.25
Sequeia Gigantea, Big tree.		15.00	0.77
" sempervirens, California Red Wood	40	3.00	2.75
Taxus baccata, English Yew	35	2.25	2.00
Brevitolia, California Yew	75	7.50	7.00
cuspidata, Japanese Yew (50 lbs. at	0.5	0.77	0.05
\$2.20 per lb.)		2.75	2.35
Thuya Gigantea, Western Arbor-vitae		5.00	$\frac{4.00}{3.75}$
" Occidentalis, American "		4.00	
orientaris, Chinese Arborvitaea		1.25	.90
Compacta		$\frac{3.00}{3.00}$	$\frac{2.50}{2.75}$
nana	30		$\frac{2.75}{2.15}$
aurea, Chinese Golden .		$\frac{2.50}{7.00}$	$\frac{2.13}{6.50}$
Tsuga Canadensis, Hemlock Spruce.		8.00	7.50
caronnana, Caronna Hemiock		4.50	4.25
" diversifolia		11.00	4.20
Mertensiana, western Spruce	-	4.50	4.25
Stepolat, Japanese Spilice		$\frac{4.50}{2.50}$	4.20
Ulex Europaea, Furze		$\frac{2.30}{2.00}$	1.75
Yucca filamentosa, Adam's Needle			T.19
Deciduous Trees and Sl	hrubs		
		Qι	antities
			of 10 lb · and over
	Per oz.		Per Ih
• Acer campestre, English Maple		.75	
" dasycarpum, Silver (Ready in May only).	20	.75	
" Ginnale		2.50	2.35

Deciduous Trees and Shrubs-Continued Quantities

			antities f 10 lbs.
		8	ind over
	Per oz.	Per lb.	Per 1b.
Acer Japonicum		2.75	2.35
" Negundo, Ash Leaf Maple		1.25	1.00
" macrophyllum, Oregon Maple		.60	.40
" palmatum (50 lbs. at \$2.10 per lb.)		3.00	2.50
Paimatum, Attoputputeum, Japan Biood.		12.00	11.50
Platanoldes, Norway		.85	.60
Flatanoides, Schwedieri Blood lear		2.00	1.75
rennsylvanicum (striatum) striped lear.		2.00	1.85
rubrum, ned mapie (neady in may only).		3.00	2.85
saccharum, Sugar Maple		1.00	.85
spicatum, mountain		2.75	2.50
striatum, (same as Fennsylvanitum)		2.00	1.85
Aesculus hippocastanum, Horse Chestnut rubicunda, Red Flowering		.60	$\frac{.40}{1.25}$
Ailanthus glandulosa, Tree of Heaven		$\frac{1.50}{1.00}$	1.25
Amorpha Fruticosa Indigo Shrub		.65	.50
Andromeda (Pieris) Japonicum, Clean Seed		12.00	.50
Aralia Spinosa, Angelica tree		3.00	2.50
Aronia Arbutifolia, Red Chokeberry	20	1.25	$\frac{2.30}{1.10}$
" Melanocarpa, Black Chokeberry		1.00	.85
Asimina triloba, Pawpaw		1.35	1.10
Aucuba Japonica		2.00	1.85
Azalea Calendulacea Clean Seed	1.00	8.00	1.00
" hinodigeri, " "	5.50	0.00	
" Mollis, " "		10.00	
" Nudiflora " "		8.00	
" hinodigeri. " " " Mollis, " " " Nudiflora " " " Viscosa " " Benzoin Aestivale, Spicebush.		8.00	
Benzoin Aestivale, Spicebush	25	1.25	1.10
Berberis Thunbergii, Japanese Barberry berries.		1.50	1.25
" " Clean Seed	50	3.50	3.10
" vulgaris, Common Barberry	25	1.10	.90
" Purpurpea, Purple Barberry .		2.00	1.75
Betula alba, European White Birch		.75	.65
" " " re-cleaned		2.50	2.10
" Lenta, Sweet Birch	30	2.25	
" Lutea, Yellow "		2.25	
rapyracaea, raper		2.50	
populitolia, Popiar Birch		1.50	
Rubia, neu (Reauy III July Only)		3.50	
Calycanthus floridus laevigatus, Sweet Shrub		1.50	
Caragana arborescens, Siberian Pea		$\frac{1.60}{1.25}$	
Carpinus Americana, Hornbeam, Clean Seed		.75	-
Detailus, European	20	.10	.00
Carya, (same as Hicoria) Castanea Americana, American Sweet			
Castanea Americana, American Sweet Chestnut	15	.65	.50
Catalpa speciosa, Western catalpa		1.25	
Ceanothus Americanus, Clean Seed		$\frac{1.25}{4.50}$	
Celtis occidentalis, Nettle Tree		1.25	
Cephalanthus Occidentalis, Button Bush		.75	
Cercidyphyllum Japonicum, Katsura tree		6.00	
Cercis Canadensis, Judas Tree	25	1.85	

Deciduous Trees and Shrubs-Continued

			f 10 lbs.
	_	a	nd over
		Per lb.	
Cercis Japonica, Japan Judas tree		6.00	5.50
Chionanthus Virginica, White Fringe		3.25	2.85
Citrus trifoliata, Hardy Orange		2.00	1.90
Clethra alnifolia, Sweet Pepper Bush		1.50	1.25
Colutea arborescens, Bladder Nut		1.25	1.00
Cornus alternifolia, Blue-berried Dogwood		1.50	1.15
" amomum, (Sericea)		1.25	1.00
norma, white bogwood Berries		.60	.50
Rousa		3.00	2.75
mas, Cornellan Cherry		1.25	.90
Nuttain. Pacific Coast Dogwood		1.75	1.65
rameulata, Gray Dogwood		1.00	.95
Sanguleneum		1.00	.85
Siberica		1.75	1.60
Corylus americana, Hazel Nut		.75	.65
" avellana, European Filbert		.75	.65
Purpurea		2.25	2.10
Cotoneaster acutifolia		2.00	1.75
" horizontalis		2.75	2.35
Crataegus coccinea, White Thorn, berries	.20	.75	.65
" cordata, Washington " "	.25	.90	.80
crus-gam, Cockspur	2(.75	.65
" oxycanthus, Clean Seed		1.00	.75
Cydonia Japonica, Clean Seed	.35	3.25	3.00
" " Pygamea, Dwarf creeping		5.00	4.75
Cytissus scoparius, Scotch Broom		1.50	1.35
Diospyros Kaki, Large Improved Type		2.00	1.65
" Lotus, Good for Stocks		.85	.65
virginiana, Persimmon, Glean Seed.	25	.75	.60
Eleagnus Angustifolia, Russian Olive		.80	.65
" longipes		3.25	3.00
umbenatus, Autumn eleagnus		3.00	2.75
Euonymus Alatus, Winged burning bush		2.75	2.40
Americanus, Burning Brush		1.50	1.40
Attoputputeus		2.00	1.90
" Europeus Evergreen Evenymus		1.50	1.25
Japonicus, Evergreen Euonymus		2.50	2.25
" japonicus Aurea		3.50	3.25
Exochorda Grandiflora, Pearl bush		3.50	3.25
Fagus Americana, American Beech	25	1.00	.85
" sylvatica, European "	25	.75	.65
" purpurea, Blood-leaved		2.25	1.85
Fraxinus Americana, White Ash	25	1.00	.75
" excelsior, European "		.75	.60
Oregona		3.00	
Offices, Flowering		.85	.65
sambucitona, Black "		3.00	
viridis, Green		.60	.50
Genista Tinctoria Dyers Greenwood	25	1.75	1.60
Ginko biloba (Salisburea adaintifolia) Maiden-			~ =
hair-tree		.75	.65
Gladitachia Triocanthua Honey Locust	20	75	55

1928-29

THOMAS V. LANE DRESHER PO. Deciduous Trees and Shrubs—Continued

		of	ntities 10 lbs nd over
	Per oz.	Per 1b.	Per lb.
Gymnocladus Canadensis, Kentucky Coffee	.20	.75	.65
Halesia tetraptera, Snowdrop Tree	.25	1.50	1.15
Hamamelis Virginica, Witch Hazel	.25	2.00	1.75
Hibuscus Syriacus, Althea clean seed	.35	1.25	1.10
Hicoria Alba (Carya Tomentosa) Mockernut			
" Cordiformis (Carya Amara) Bitternut			
" Glabra (C. porcina) Pignut	.10	.25	.16
" Lacinosa (C. Sulcaat) Shellbark		.25	.18
" ovata (C. Alba) Shaqbark		.25	.17
" Pecan (C. olivaeformis) Pecan	.15	.60	.50
Eippophaea rhamnoides, Sea Buckthorn		1.50	1.25
Ilex decidua	.25	1.50	1.15
" Fugisanensis	2.50	25.00	
" Verticillata, Winterberry		1.25	1.00
Juglans Cinerea, Butternut		.25	.15
" California	.15	.75	.60
" Cordiformis, Heart Nut		.65	.50
" nigra, Black Walnut		.20	.14
" Regia, English Walnut		.65	.60
" Sieboldiana		.65	.50
Kerria Japonica		3.75	2.85
Koelteruria Paniculata, Varnish Tree		.75	.60
Larix Europea, European larch (50 lbs. @			
\$1.60)	.25	2.00	1.75
" leptolepsis (50 lbs. at \$3.10 per lb.)		4.00	3.25
" Occidentalis		7.50	7.00
Laburnum vulgare		1.25	1.10
Ligustrum Ibota berries		.50	.40
vulgare		1.00	.65
Lindera Benzoin, Spice Bush		1.25	1.00
Liquidambar styraciflua, Sweet Gum		3.50	3.25
Liriodendron tulipifera, Tulip Tree		1.00	.75
Lonicera Tartarica		3.50	
Maclura aurantiaca, Osage Orange		1.50	1.25
Magnolia acuminata		2.00	1.75
"Glauca, Sweet Bay		3.50	3.25
" grandiflora, Evergreen		1.75	1.60
" Kobus		2.25	2.00
" tripetela		2.00	1.50
"Yulan (conspicua)		7.50	
Morus alba. White Mulberry		2 00	1.85
" tartrica, Russian Mulberry		2.50	2.25
Myrica cerifera, Wax Myrtle		1.50	1.20
Negundo Aceroides, Ash-leaved Maple		.65	.50
Nandina Domestica, Clean Seed		2.50	2.25
Nyssa aquatica, Sour Gum	25	1.25	1.00
" multiflora (sylvatica)		1.25	1.00
" uniflora		1.25	1.00
Oxydendrum arborcum (Andromeda) Clean See		3.75	3.50
Paeonia, moutan Tree paeony		8.00	7.50
Paulowina imperialis, Empress Tree	25	1.25	1.00
Pieris japonica (Andromeda) Clean Seed	. 1.25	10.00	

Deciduous Trees and Shrubs—continued

			10 lbs.
		aı	nd over
D1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Per oz.	Per lb.	
Platanus occidentalis, American Plane	.20	1.00	.75
" orientalis, Oriental Plane	.20	.85	.70
Prinos verticillatus, Winterberry	.25	1.25	1.00
Prunus serotina, Clean Seed	.20	1.00	.75
Ptelea trifoliata, Hop Tree	.25	1.00	.90
Pyrus americana (same as sorbus)	.25	1.35	1.15
Pyrus acuparia (same as sorbus)	.15	.75	.60
" arbutifolia (same as sorbus)	.25	1.00	.90
Quercus Coccinea, Scarlet Oak	.10	.35 .35	.25 $.25$
raicata, Spanish Oak	.10		
menona, Scrub Oak	.10 .10	$.50 \\ .35$.35 .25
" Lyrata		.35	.25
" Michauxii	.10	.35	.25
" macrocarpa, Bur Oak	.10		
" Nigra, Black Jack	.10 $.10$.40 .40	.30
" palustris, Pin Oak (50 lbs. @ .30)	.10	.40	.34
" Phellos, Willow Oak		.30	.20
rubra, Red Oak	.10		
" tinctoria, Black Oak	.10	.35	.25
Rhamnus Cathartica, Buckthorn	$.20 \\ .25$	$\frac{1.25}{1.75}$	1.00 1.60
" Caroliana			
Frangula	.25	$\frac{1.50}{2.50}$	$\frac{1.25}{2.25}$
Rhodotyphus Kerroides, Jet bead	.35		
Rhus aromatica (Canadensis)	.25	1.50	1.25
Copanna, Siming Sumacii	.20	$\frac{.90}{3.50}$	3.25
Rhus Cotinus, Mist Bush	$.50 \\ .20$	3.50 .75	.50
Glabra, Smooth Sumach			
Typnina, Stags norn sumach	.20	.75	.50
Ribes sanguieneum, Flowering Currant	.50	$\frac{4.00}{.85}$	3.50 .60
Robina Pseudacacia, Yellow or Black Locust	.20 $.20$	1.25	.95
Rosa blanda, Meadow Rose	.20	$\frac{1.25}{1.00}$.70
" canina	.20 $.25$	$\frac{1.00}{1.25}$	1.10
Caronna	.25	$\frac{1.25}{1.15}$.90
numms	.25	$\frac{1.15}{1.25}$	1.10
Tuciua	.20	$\frac{1.25}{1.25}$	1.10
Multinora Japonica Berries, American	.25	$\frac{1.25}{1.50}$	1.00 1.25
Clean Seed, European.	.25	$\frac{1.30}{1.25}$	1.23
Rubignosa	.25	$\frac{1.25}{1.75}$	1.40
Rugosa, Clean Seed	.20	1.75	1.15
" Setigera, Berries Wild Rose	.20	.60	.50
Salisaburia Adiantifolia (same as Gingko)	.50	4.00	3.75
Sambucus Canadensis, Elder, Clean Seed	.25	1.50	1.25
Sassafras officinale	.20	1.00	.85
Sophora Japonica, Pagoda Tree, Clean Seed	.25	1.35	1.15
Sorbus Americana, American Mt. Ash	.15	.75	.60
"Aucuparia, European Mt. Ash	.40	4.00	.00
Spiraea Opulifolia. Clean Seed	1.50	$\frac{4.00}{12.00}$	
Syringa dilata, Korean lilac clean seed	.75	8.00	7.50
japonica, Japanese Tree Litac	.40	3.50	3.00
vulgaris, Common Linac, Clean Seed.	.60	5.00	4.50
" alba, White Lilac Taxodium distichum, Deciduous Cypress	.25	1.25	1.50

Deciduous Trees and Shrubs-Continued

	_	of ar	antities 10 lbs. ad over
Tilia Americana, American Linden	Per oz. .25 .20	Per lb. 1.50 1.00	1.10 .90
" Platyphyllos large leaf, European Silver Linden	.20	1.00	.80
" Vulgaris small leaf	$.20 \\ .25$	$1.15 \\ 1.25$	$.90 \\ .75$
Viburnum acerifolium berries	.20	.75	.50
" carlesii	.75	6.00	5.50
" Cassinoides "	.20	1.25	1.10
" Dentatum "	.20	1.15	.95
Viburnum Lantana D. B.	.25	1.25	1.00
" Lentago Berries " Oxycoccos "	$.25 \\ .25$	$\frac{1.25}{1.25}$	$1.10 \\ 1.10$
" Prunifolium "	.20	$\frac{1.25}{1.00}$.70
Vines and Climbers	.20	1.00	
Akebia, Quinata	.35	2.25	2.00
Ampelopsis veitchii, Japan creeper berries " " Clean Seed	.25	$\frac{1.65}{2.00}$	$\frac{1.25}{1.50}$
" Virginica, Virginia "	.25	$\frac{2.00}{1.90}$	$\frac{1.50}{1.75}$
Aristolochia Sipho true variety	50	4.50	4.00
Celastrus scandens, Berries	.25	1.50	1.25
" Clean Seed	.40	3.75	3.00
Clematis flammula, Sweet Clematis	.25	1.50	1.25
" paniculata, real clean seed (this is clean seed, practically free from all			
foreign matter and not to be con-			
fused with inferior quality offered at			
a less price)	.35	3.25	3.00
" Virginiana " Vitalba, English Clematis	$.50 \\ .25$	$\frac{4.50}{1.25}$	1.00
Hedera Helix, Ivy	.25	$\frac{1.25}{1.25}$	1.00
Pueraria thunbergiana	.35	2.25	2.00
Tecoma radicans, Trumpet Vine	.35	2.25	2.00
Wisteria frutescens	.40	3.00	
" multijuga, Blue	.50	3.75	3.25
sinensis (Chinese) Blue	$.20 \\ .35$	$\frac{1.50}{3.00}$	$\frac{1.10}{2.75}$
" " White	.00	5.00	4.10
Fruits			
Apple, French Crab	.25	1.00	.85
" Austrian	.20	.85	.65
Cherry, Mahaleb clean stones (50 lbs. at .85)	.25 $.20$	$\frac{1.25}{.85}$	$\frac{1.00}{.70}$
" mazzard	.20	1.00	.75
Peach Pits, Natural 50 lbs. at 10c	.10	.20	.15
Pear, French Pear	.35	3.50	3.00
Pyrus calleriana, Chinese tree pears	.50	6.75	6.00
serouna, Japan pear	$.50 \\ .60$	$\frac{5.00}{8.00}$	$\frac{4.75}{7.50}$
" usseriensis cultivated variety Quince	.35	$\frac{3.00}{2.75}$	$\frac{7.50}{2.50}$
19	.00	a. 10	